

## LAWSON

known for quality since 1816

### THE F. H. LAWSON COMPANY

CINCINNATI 4, OHIO




### LOOK FOR THIS LAWSON TRADE-MARK

This symbol with hour-glass center represents nearly a century and a half experience in sheet metal fabrication — your assurance of quality-superiority.

MEDICINE CABINETS - LAVATORY MIRRORS - BATHROOM ACCESSORIES

### DELUXE TYPE, DRAWN BODY, SLIDE-DOOR MEDICINE CABINETS...3 SIZES



	SPECIFICATIO	INS	
No.	Mirrors-Doors	Wall Opening Wide High Deep	Storage Space Cu. In.
7440	(2) 13½ x 19" Plate Glass Frameless	2578" 181/8" 31/2"	1919
7440-19	(2) 13½ x 19" Plate Glass Frameless	2578" 1878" 3½"	1919
7550	(2) 1534 x 19" Plate Glass Frameless	297/8" 181/8" 31/2"	2064
7550-19	(2) 1534 x 19" Plate Glass Frameless	297/8" 187/8" 31/2"	2064
7880	(2) 19½ x 2658" Plate Glass Frameless	37 7/8" 25 7/8" 31/2"	3838
7880-35	(2) 19½ x 265%" Plate Glass Frameless	3778" 2658" 31/2"	3838
Overall	No. 7440 without lights 27% x 19%"	No. 7550-19 with lights 351/2	x 19¾"
Dimensions	No. 7440-19 with lights 3134 x 1934"	No. 7880 without lights 3958	
	No. 7550 without lights 31½ x 19¾"	No. 7880-35 with lights 4356	

### **CONSTRUCTION FEATURES**

ONE PIECE DRAWN SEAMLESS STEEL BODIES — BONDERIZED AFTER FORMING, Polished Stainless Steel frame — no visible joints. Plate Glass Mirrors electrolytic copper protected, guaranteed 5 years against silver spoilage. Polished chrome plated door pulls; stainless steel Splash Plates. Easy-glide nylon corner shoes. Stainless Steel Mirror Track, resistant to moisture, acid and daily wear and tear . . . will not corrode . . . silent operation. Razor blade slot. Stainless Steel Toothbrush Holder. Adjustable and removable aluminum Shelf Supports. Light Fixtures Polished Stainless Steel with Plastic Shades carry Underwriters' Laboratories Inspection Label. Fluorescent Tubes (T-12, 15 watt in No. 19 fixtures; T-12, 20 watt in No. 35 fixtures) included. Snap-in Electrical Inspection Plate (no screws). Control Switch for both lights in Left Bracket. Convenience Outlet for Electric Razor, Dryer, Etc. in Right Bracket.

Independently Mounted
Overhead Fluorescent Light
Adds Radiance and Splendor
to Unlighted or Side Lighted
Slide Door Medicine Cabinets

Completely Wired and Ready to Install. Stainless Steel End Caps. Plastic Light Shields. Shipped Completely Assembled and Separately Packaged. Underwriters' Laboratories Label. Control Switch on left end; Convenience Outlet on right end for electric razor, dryer, etc.


No. 740 Fixture — For Use with No. 7440 and No. 7440-19 Slide-Door Cabinets. 27½" long, including one 20 watt Fluorescent Tube.

No. 750 Fixture — For Use with No. 7550 and No. 7550-19 Slide-Door Cabinets. 31½" long, including one 25 watt Fluorescent Tube.

No. 780 Fixture — For Use with No. 7880 and No. 7880-35 Slide-Door Cabinets. 39½" long, including one 30 watt Fluorescent Tube.

### DELUXE TYPE, DRAWN BODY, SLIDE DOOR MEDICINE CABINETS...

### with ATTACHED OVERHEAD FLUORESCENT LIGHT



2-IN-I TWIN BODY 7885 8 Shelves

2-IN-I TWIN BODY 7555 6 Shelves

SINGLE BODY 7445 2 Shelves




A fine quality medicine cabinet to match fine quality plumbing fixtures assures the success of any bathroom plan. Because the medicine cabinet is used more frequently than any other used more frequently than any other equipment in your home, it is important that you choose genuine Lawson quality. If the medicine cabinet selected is of adequate size, it will increase the value of the home by providing sufficient storage space for the ever increasing number of toiletries and medicines being used by American families. ican families.

Mirrors—Doors		Wall Opening		Storage
miliota poola	Wide	High	Deep	Space Cu. In.
) 13½ x 19" Plate Glass Frameless	257/8"	211/4"	3½"	1919
) 15¾ x 19" Plate Glass Frameless	297/8"	211/4"	3½"	2064
) 19½ x 26¾ Plate Glass Frameless	37 1/8"	291/8"	3½"	3838
	) 13½ x 19" Plate Glass Frameless ) 15¾ x 19" Plate Glass Frameless ) 19½ x 265%" Plate Glass Frameless . 7445 including light, 27½ x 223%"	) 15¾ x 19" Plate Glass Frameless 29¾" ) 19½ x 26¾" Plate Glass Frameless 37¾"	) 15¾ x 19" Plate Glass Frameless 29¾" 21¼" ) 19½ x 26¾" Plate Glass Frameless 37¾" 29½"	) 15¾ x 19" Plate Glass Frameless 29¾" 21¼" 3½" ) 19½ x 26¾" Plate Glass Frameless 37¾" 29½" 3½"

### **CONSTRUCTION FEATURES**

ONE PIECE DRAWN SEAMLESS STEEL BODIES - BONDERIZED AFTER FORM-ING. Polished Stainless Steel frame - no visible joints. Plate Glass Mirrors electrolytic copper protected, guaranteed 5 years against silver spoilage. Polished chrome plated door pulls; stainless steel Splash Plates. Easy-glide nylon corner shoes. Stainless Steel Mirror Track, resistant to moisture, acid and daily wear and tear . . . will not corrode . . . silent operation. Razor blade slot. Stainless Steel Toothbrush Holder. Adjustable and removable aluminum Shelf Supports. Snap-in Electrical Inspection Plate (no screws). Cabinets with Light Fixtures carry Underwriters' Laboratory Label; plastic shade; stainless steel end caps; coextral switch on left and convenience outlet for electric razor driver etc. on right and control switch on left end; convenience outlet for electric razor, dryer, etc. on right end. 30-watt Fluorescent Tube in 7885 model; 25-watt Fluorescent Tube in 7555 model; 20watt Fluorescent Tube in 7445 model.

### PROJECT TYPE, FORMED and WELDED, SLIDE DOOR MEDICINE CABINETS






Look for this LAWSON TRADE-MARK - your assurance of quality superiority

7473 Extra Heavy 3/16" Window Glass Mirrors

7484 Plate Glass Mirrors (Two 31/4" Wide Glass Shelves)





### **CONSTRUCTION FEATURES**

FORMED AND WELDED STEEL BODY, BONDERIZED AFTER FORMING. Polished Stainless Steel Frame; chrome plated door pulls; mirrors electrolytic copper protected, guaranteed 5 years against silver spoilage; plastic mirror track, silent operation. Razor blade slot; Stainless Steel Toothbrush Holder; Baked white enamel finish.

LIGHT FIXTURE - Includes F-25W - T-12, CW, 28 inch fluorescent tube and plastic light diffuser; completely wired; Underwriters' Laboratory Label; stainless steel end caps; control switch on left-end; convenience outlet for electric razor, dryer, etc. on right-end.

SPECIFICATIONS

		No.	Mirrors—Doors	Wide	Vall Opening High	Deep	Storage Space Cu. In.
7324 Extra Heavy 3/16" Window Glass Mirrors 7335 Plate Glass Mirrors (Two 31/4" wide	7330 Extra Heavy 3/16" Window Glass Mirrors 7341 Plate Glass Mirrors Glass Shelves)	7324 7330 7335 7341 7451 7462 7473 7484	(2) 12 x 18" Extra Heavy 3/6" Window Glass Frameless (2) 15½ x 20" Extra Heavy 3/6" Window Glass Frameless (2) 12 x 18" Plate Glass Frameless (2) 15½ x 20" Plate Glass Frameless (2) 14 x 18" Extra Heavy 3/6" Window Glass Frameless (2) 14 x 18" Extra Heavy 3/6" Window Glass Frameless (2) 14 x 18" Extra Heavy 3/6" Window Glass Frameless (2) 14 x 18" Plate Glass Frameless	23¾" 30" 23¾" 30" 26" 26" 28" 28"	18" 20" 18" 20" 17" 17" 20%" 20%"	3½" 3½" 3½" 3½" 3½" 3½" 3½" 3½"	1395 2000 1395 2000 1808 1808 1842 1842
7451	7462		OVERALL DIMENSIC	ONS			
Extra Heavy 3/16" Window Glass Mirrors	Plate Glass Mirrors		Nos. 7330 and 7341—31¼" x 21¼" Nos. 7451 and 7462—27½" x 19"	Nos. 7324 a Nos. 7473 a	nd <b>7335—</b> 24 ind <b>7484—</b> 28	%" x 19¼" %" x 21¼"	

(Two 4" wide Glass Shelves)



### OVERHEAD FLUORESCENT LIGHT FIXTURES

### FOR INDEPENDENT WALL MOUNTING

- Easy to Install.
- Completely Wired and Ready to Install.
- Polished Stainless Steel End Caps.
- Plastic Light Shields.
- Control Switch on left end; Convenience Outlet on right end for electric razor, dryer, etc.
- Shipped Completely Assembled and Separately Packaged.
- Underwriters' Laboratories Label.



Nos. 750, 780 FOR USE WITH TWIN ENSEMBLES Shown on Pages 10, 11



No. 780
FOR USE WITH
TRIPLE ENSEMBLES
Shown on Pages 10, 11



Nos. 740 and 750 FOR USE WITH SLIDE DOOR CABINETS Shown on Pages 2, 4



No. 780
FOR USE WITH
VANITY MIRROR
with COMPARTMENT
Shown on Page 12



Nos. 740, 750, 780

FOR USE WITH
SLIDE DOOR CABINETS
WITH AND WITHOUT SIDE LIGHTS
Shown on Page 2




No. 740
FOR USE WITH
LAVATORY MIRROR NO. 1826
Shown on Page 13

#### SLIDE DOOR CABINETS MIRRORS FIXTURE NO. 740 Nos. 7324, 7335, 7440, 7440-19, 7451, 7462 No. 1826 271/2" Long 26" wide x 18" high (Includes 20-watt Fluorescent Tube) Recommended For Use With TWIN ENSEMBLES SLIDE DOOR CABINETS FIXTURE NO. 750 Nos. 7330, 7341, 7550, 7550-19 3458 3521 3522 3645 311/2" Long 4122 4123 3657 3667 (Includes 25-watt Fluorescent Tube) 4146 4133 4134 Recommended For Use With VANITY TRIPLE ENSEMBLES TWIN ENSEMBLE FIXTURE NO. 780 SLIDE DOOR 3521 MIRROR 3458 CABINETS No. 1466 Nos. 1466 391/2" Long 3657 4224 VM 3522 3645 Nos. 7880, (Includes 30-watt Fluorescent Tube) 4122 4123 7880-35 3667 Recommended For Use With 4146 4133 4134

### DELUXE TYPE, DRAWN BODY, SWING DOOR MEDICINE CABINETS

With and Without Fluorescent Side Lights



\*All Cabinets listed below have White Enameled Piano Hinge with Brass Pin.

\*\*Lighted Cabinets listed below have White Enameled Light Fixture with Stainless Steel End Caps.



	SPECIFICATIO	ONS			
No.	Mirror—Door	Wide	/all Opening High	Deep	Storage Space Cu. In.
1466	20 x 30" Plate Glass Frameless	181/8"	257/8"	3½"	1919
1466-35	20 x 30" Plate Glass Frameless	181/8"	2658"	31/2"	1919
2458-35	18 x 26" Plate Glass S.S. Frame	161/8"	221/8"	31/2"	1329
2657-14	16 x 24" Plate Glass S.S. Frame	1358"	201/8"	31/2"	1066
3458	18 x 26" Plate Glass S.S. Frame	161/8"	2138"	31/2"	1329
3645	16 x 24" Window Glass S.S. Frame	1358"	1938"	31/2"	1066
3657	16 x 24" Plate Glass S.S. Frame	135/8"	1938"	31/2"	1066
4122	16 x 22" Window Glass S.S. Frame	141/8"	181/8"	31/2"	1032
4133	16 x 22" Plate Glass S.S. Frame	141/8"	181/8"	31/2"	1032
4133-14	16 x 22" Plate Glass S.S. Frame	141/8"	187/8"	31/2"	1032

To determine overall width of cabinets with Nos. 14 or 35 light fixtures add to mirror width dimension 7" per pair.

### CONSTRUCTION FEATURES

ONE PIECE DRAWN SEAMLESS STEEL BODY, BONDERIZED AFTER FORMING. Rounded inside corners for easy cleaning; Full Length Stainless Steel Piano Hinge (except as noted see\*); Adjustable and Removable Aluminum Shelf Supports; Bar Type Door Stop; Bullet Type Door Catch; Bulb Edge Glass Shelves; Razor Blade Slot; Stainless Steel Toothbrush Holder; Baked White Enamel Finish.

Mirrors Electrolytic Copper Protected; Guaranteed 5 Years Against Silver Spoilage. Framed Mirror Cabinets have electro polished Stainless Steel Frames. Frameless Mirror Cabinets have Stainless Steel Spring Ratchet Mirror clips (no screws).

Light Fixtures: Polished Stainless Steel (\* \* No. 14 Light Fixture has White Enameled Back Plate) with Plastic Shades. Fluorescent Tubes (T-12, 15 watt) included with No. 14 Light Fixtures; Fluorescent Tubes (T-12, 20 watt) included with No. 35 Light Fixtures. Snap-in Electrical Inspection Plate (no screws). Control switch for both lights in left bracket. Convenience Outlet for Electric Razor, Dryer, etc., in right bracket. All Lighted Cabinets carry Underwriters' Laboratories Inspection Label.





Every year more than 200,000 persons in the United States, mostly children, are victims of Accidental Poisoning. It kills more children than polio, diptheria and scarlet fever combined. Avoid storing drug products such as aspirin, peroxide, iodine, rubbing alcohol, wintergreen, etc., in low open shelves or drawers within easy reach of children.

#### **CONSTRUCTION FEATURES**


ONE PIECE DRAWN SEAMLESS STEEL BODY, BONDERIZED AFTER FORMING. Rounded inside corners for easy cleaning; White Enameled Piano Hinge with Brass Pin; Adjustable and Removable Aluminum Shelf Supports; Bar Door Stop; Bullet Type Door Catch; Bulb Edge Glass Shelves; Stainless Steel Toothbrush Holder; Baked White Enamel Finish. Mirrors Electrolytic Copper Protected; Guaranteed 5 Years Against Silver Spoilage; Framed Mirror Cabinets have Electro Polished Stainless Steel Frames. Frameless Mirror Cabinets furnished with Stainless Steel Spring Ratchet Clips (no screws).

Lighted Models carry Underwriters' Laboratories Inspection Label. Fluorescent tubes (T-12, 15 watt) included with No. 14 Fixtures; (T-12, 20 watt) included with No. 35 Fixtures. Snap-in Electrical Inspection Plate (no screws). Control Switch for both lights in left bracket. Convenience Outlet for Electric Razor, Dryer, etc. in right bracket.

Fluorescent light Fixtures: No. 14 is white enameled; plastic shades; stainless steel end caps. No. 35 fixtures are stainless steel with plastic shades.



3667 without lights
4146 without lights
4157 without lights
2 Shelves



3522-35 with lights 3521 without lights 3522 without lights 3 Shelves

	SPECIFICATION	NS			
No.	Mirror—Door	Wide	Vall Opening High	Deep	Storage Space Cu. In.
2667-14	16 x 24" Plate Glass Frameless	1358"	201/8"	31/2"	1066
3521	16 x 26" Window Glass S.S. Frame	14"	24"	31/2"	1401
3522	16 x 26" Plate Glass S.S. Frame	14"	24"	31/2"	1401
3522-35	16 x 26" Plate Glass S.S. Frame	14"	243/4"	31/2"	1401
3527	16 x 26" Window Glass S.S. Frame	14"	24"	31/2"	1401
3528	16 x 26" Plate Glass S.S. Frame	14"	24"	31/2"	1401
3528-35	16 x 26" Plate Glass S.S. Frame	14"	243/4"	31/2"	1401
3667	16 x 24" Plate Glass Frameless	1358"	1938"	31/2"	1066
4146	16 x 22" Window Glass Frameless	141/8"	181/8"	31/2"	1032
4157	16 x 22" Plate Glass Frameless	141/8"	181/8"	31/2"	1032

To determine overall width of cabinets with Nos. 14 or 35 light fixtures add to mirror width dimensions 7" per pair.







3625
2 Shelves
for Hotels — Motels — Dormitories

-		1	T	
•				
4	The state of the s			
	mention distance :			

4133 2 Shelves

	SPECIFICA	TIONS			
No.	Mirror—Door	Wide	Wall Opening High	Deep	Storage Space Cu. In.
3625	16 x 16" Plate Glass S.S. Frame	1358"	1938"	3½"	1066
3645	16 x 24" Window Glass S.S. Frame	1358"	1938"	31/2"	1066
3657	16 x 24" Plate Glass S.S. Frame	1358"	1938"	31/2"	1066
4122	16 x 22" Window Glass S.S. Frame	141/8"	181/8"	31/2"	1032
4123	16 x 22" Window Glass S.S. Frame	141/8"	181/8"	31/2"	1032
4123-11	16 x 22" Window Glass S.S. Frame	141/8"	187/8"	31/2"	1032
4133	16 x 22" Plate Glass S.S. Frame	141/8"	181/8"	31/2"	1032
4134	16 x 22" Plate Glass S.S. Frame	141/8"	181/8"	31/2"	1032
4134-11	16 x 22" Plate Glass S.S. Frame	141/8"	187/8"	31/2"	1032
4134-14	16 x 22" Plate Glass S.S. Frame	141/8"	187/8"	31/2"	1032

To determine overall width of cabinets with light fixtures Nos. 11 and 14, add 7" per pair.

### CONSTRUCTION FEATURES

ONE PIECE DRAWN SEAMLESS STEEL BODY, BONDERIZED AFTER FORM-ING. Rounded Inside Corners for easy cleaning; White Enameled Piano Hinge with Brass Pin; Adjustable and Removable Aluminum Shelf Supports; Bar Door Stop; Bullet Type Door Catch; Bulb Edge Glass Shelves; Stainless Steel Toothbrush Holder; Baked White Enamel Finish.

Mirrors Electrolytic Copper Protected – Guaranteed 5 Years Against Silver Spoilage; Electro Polished Stainless Steel Mirror Frames.

Lighted Models carry Underwriters' Laboratories Inspection Label. Fluorescent tubes (T-12, 15 watt) included with Nos. 11 and 14 Fixtures. Snap-in Electrical Inspection Plate (no screws). Control Switch for both lights in left bracket. Convenience outlet for Electric Razor, Dryer, etc. in right bracket.

Fluorescent Fixture No. 14 is white enameled with plastic shades; No. 11 is white enameled without plastic shades. All Fluorescent Fixtures have Polished Stainless Steel End Caps.



### with and without

### INCANDESCENT LIGHTING

### **CONSTRUCTION FEATURES**

ONE PIECE DRAWN SEAMLESS STEEL BODY, BONDERIZED AFTER FORMING. Rounded inside corners for easy cleaning. White Enameled Piano Hinge with Brass Pin; Adjustable and Removable Aluminum Shelf Supports; Bar Door Stop; Bullet Type Door Catch. Bulb Edge Glass Shelves; Stainless Steel Toothbrush Holder; Baked White Enamel Finish.


Mirrors Electrolytic Copper Protected - Guaranteed 5 Years Against Silver Spoilage; Electro Polished Stainless

Steel Mirror Frames.

Lighted Models carry Underwriters' Laboratories Inspection Label. Snap-in Electrical Inspection Plate (no screws). Control Switch for both lights in left bracket. Convenience Outlet for Electric Razor, Dryer, etc., in right bracket.

Incandescent Fixture No. 65 is Polished Stainless Steel with 8" glass shades. Standard 100 watt blue daylight

bulbs recommended but not furnished.



To determine overall width of cabinets with No. 65 light fixtures add to mirror width dimension 10" per pair.



2 Shelves

4122-65 with lights 4133-65 with lights

4122 without lights

### Project Type Medicine Cabinets

### Low Priced! Attractive Values!

### CONSTRUCTION FEATURES

FORMED AND WELDED STEEL BODIES, BONDERIZED AFTER FORMING. Mirrors Electrolytic Copper Protected – Guaranteed 5 Years Against Silver Spoilage. Polished Stainless Steel Mirror Frames; White Enameled Piano Hinge with Brass Pin; Adjustable and Removable Aluminum Shelf Supports. Bar Door Stop; Bullet Type Door Catch; Bulb Edge Glass Shelves; Stainless Steel Toothbrush Holder; Baked White Enamel Finish.

	SPECIFICATI	ONS			
No.	Mirror—Door	Wide	Wall Opening High	g Deep	Storage Space Cu. In.
4522	16 x 22" Window Glass S.S. Frame	141/8"	181/8"	3½"	1032
4533	16 x 22" Plate Glass S.S. Frame	141/8"	181/8"	31/2"	1032
5011	14 x 20" Window Glass S.S. Frame	121/4"	1638"	31/2"	799
5022	14 x 20" Plate Glass S.S. Frame	121/4"	1638"	31/2"	799



TWIN ENSEMBLES Storage Capacities Ranging From 2064 to 3838 cu. in.

The Ensembles listed on the opposite page offer a profitable new concept in medicine cabinet selling - the right style ensemble, at the right price, for every bathroom plan. Utmost flexibility in storage capacities – from 2064 cu. in. to 5757 cu. in. A simplified inventory of "key" Lawson Stock Model Medicine Cabinets makes for easy and profitable merchandising of the Ensemble idea. It's a natural for extra year 'round sales—every new home, large or small, is a prospect.


MEDICINE CABINET

ENSEMBLES

large or small, is a prospect.

ORDERING INFORMATION

For TWIN or TRIPLE ensembles give cabinet stock number and specify (1) right hand and (1) left hand for TWIN, or (2) right hand and (1) left hand for TRIPLE ensemble. Also order (1) stainless steel joiner strip for TWIN or (2) joiner strips for TRIPLE ensemble. See opposite Page 11 for size of Joiner Strip required for each size cabinet.



#### **SPECIFICATIONS**

Cabinet		Total Mirror Area		Opening Deep	£4	Band of	Recommende
Number	Ensemble	Wide High	Wide	High	Storage Cu. In.	Required Joiner Strip	Overhead Ligh Fixture
1466	Twin	40 x 30" Plate Glass Frameless	391/2"	257/8"	3838	1 ea. J-5	780
1466	Triple	60 x 30" Plate Glass Frameless	6078"	257/8"	5757	2 ea. J-5	780
3458	Twin	36 x 26" Plate Glass S.S. Frame	35½"	2138"	2658	1 ea. J-4	750
3458	Triple	54 x 26" Plate Glass S.S. Frame	547/8"	2138"	3987	2 ea. J-4	780
3521	Twin	32 x 26" Window Glass S.S. Frame	311/4"	24"	2802	1 ea. J-3	750
3521	Triple	48 x 26" Window Glass S.S. Frame	481/2"	24"	4203	2 ea. J-3	780
3522	Twin	32 x 26" Plate Glass S.S. Frame	311/4"	24"	2802	1 ea. J-3	750
3522	Triple	48 x 26" Plate Glass S.S. Frame	48½"	24"	4203	2 ea. J-3	780
3645	Twin	32 x 24" Window Glass S.S. Frame	30½"	1938"	2132	1 ea. J-2	750
3645	Triple	48 x 24" Window Glass S.S. Frame	4738"	1938"	3198	2 ea. J-2	780
3657	Twin	32 x 24" Plate Glass S.S. Frame	30½"	1938"	2132	1 ea. J-2	750
3657	Triple	48 x 24" Plate Glass S.S. Frame	4738"	1938"	3198	2 ea. J-2	780
3667	Twin	32 x 24" Plate Glass Frameless	30½"	1938"	2132	1 ea. J-2	750
3667	Triple	48 x 24" Plate Glass Frameless	4738"	1938"	3198	2 ea. J-2	780
4122	Twin	32 x 22" Window Glass S.S. Frame	31½"	181/8"	2064	1 ea. J-1	750
4122	Triple	48 x 22" Window Glass S.S. Frame	487/8"	181/8"	3096	2 ea. J-1	780
4123	Twin	32 x 22" Window Glass S.S. Frame	31½"	181/8"	2064	1 ea. J-1	750
4123	Triple	48 x 22" Window Glass S.S. Frame	487/8"	181/8"	3096	2 ea. J-1	780
4133	Twin	32 x 22" Plate Glass S.S. Frame	31½"	181/8"	2064	1 ea. J-1	750
4133	Triple	48 x 22" Plate Glass S.S. Frame	487/8"	181/8"	3096	1 ea. J-1	780
4134	Twin	32 x 22" Plate Glass S.S. Frame	31½"	181/8"	2064	1 ea. J-1	750
4134	Triple	48 x 22" Plate Glass S.S. Frame	487/8"	181/8"	3096	1 ea. J-1	780
4146	Twin	32 x 22" Window Glass Frameless	31½"	181/8"	2064	1 ea. J-1	750
4146	Triple	48 x 22" Window Glass Frameless	487/8"	181/8"	3096	2 ea. J-1	780
4157	Twin	32 x 22" Plate Glass Frameless	31½"	181/8"	2064	1 ea. J-1	750
4157	Triple	48 x 22" Plate Glass Frameless	487/8"	181/8"	3096	2 ea. J-1	780



No. 740


 $27 l/\!\!\!/_2{}'''$  long, including one 20-watt Fluorescent Tube. See Page 5 for Recommended Uses.

#### No. 750

31½" long, including one 25-watt Fluorescent Tube. See Page 5 for Additional Recommended Uses.

### No. 780

 $391\!/\!_2{}''$  long, including one 30-watt Fluorescent Tube. See Page 5 for Additional Recommended Uses.




### **Overhead Fluorescent Light Fixtures**

### For Independent Wall Mounting

A plain, unlighted medicine cabinet, cabinet ensemble or mirror becomes radiantly beautiful with the simple addition of one of these independently mounted overhead fluorescent lights.

- · Easy to install.
- Completely Wired and Ready to Install.
- Stainless Steel End Caps.
- · Plastic Light Shade.
- Shipped Completely Assembled.
- Underwriters' Laboratories Label.
- Control Switch on left end; Convenience Outlet on right end for electric razor, dryer, etc.



### HERE'S BREATH-TAKING, NEW KIND OF ELEGANCE FOR ...



## Smart Bathroom Styling

### No. 4224 VM Vanity Mirror with Compartment

Luxurious appearance plus superior quality through and through. Electrolytic copper protected plate glass mirror — guaranteed 5 years against silver spoilage. Mirror frame, top of compartment and compartment frame sparkling stainless steel for lasting beauty — heavy (3/16") Magnolite glass doors glide freely in plastic track impervious to moisture and corrosion. The body interior has snow-white baked enamel finish.

	SPECIFICATIONS			
No.	Mirror	Overall Dimensions		
4224 VM	42 x 24" Plate Glass Stainless Steel Frame	42 x 32" high Shelf atop compartment 4" Deep Magnolite Doors (2) 21 x 7" High		




### MIRROR-SHELF COMBINATION

- Vertical Mounting
- First Quality Plate Glass
- Galvanized Steel Backing
- Polished Stainless Steel Mirror Frame
- Square Mitred Corners
- Stainless Steel Shelf 5 inches deep
- Theft-proof Hanging Device

MIRRORS ELECTROLYTIC COPPER PROTECTED —
GUARANTEED 5 YEARS AGAINST SILVER SPOILAGE

	SPECIFICATIONS	
No.	Mirror Size	Shelf
1624 MS	16 x 24"	16 x 5"





### PLATE GLASS LAVATORY MIRRORS

Electrolytic Copper Protected—Guaranteed 5 Years Against Silver Spoilage
POLISHED STAINLESS STEEL FRAMES







SPECIAL SIZES AVAILABLE if sufficient quantity. Write for prices.

- First quality Plate Glass, Electrolytic Copper Protected — Guaranteed 5 Years Against Silver Spoilage
- Galvanized steel backing
- Polished stainless steel frame
- Rounded corners no mitred joints
- Theft-proof feature

No.	Size	
1218	12 x 18"	
1420	14 x 20"	
1620	16 x 20"	
1622	16 x 22"	
1624	16 x 24"	
1824	18 x 24"	
1826	18 x 26"	







NOTE: For public washroom installations we recommend individual mirrors. Initial cost is lower, replacement simpler and more economical.

### SPECIAL SIZES! SQUARE CORNER! FRAMED LAVATORY MIRRORS

- Maximum Perimeter 216"...72" One Side
- Smallest Rectangular 12 x 14"
- Largest Rectangular 36 x 72"
- Smallest Square 12 x 12"
- Largest Square 54 x 54"

SPECIFICATIONS: No. 1 quality plate glass mirror, copper protected-guaranteed five years against silver spoilage. Frame ½8" x ½" x ½8" x 035 thick (20 gauge) stainless steel. Zinc coated steel back slotted for concealed hanging. Theft-proof device and 3 or more 1" No. 8 oval head nickel plated installing screws included. Overall sizes are ½" greater than glass sizes — i.e. 24 x 48 will measure 24%" x 48%" overall. Sizes specified will be considered glass sizes unless otherwise specified.


### LAWSON SURFACE MOUNTED CABINETS—finest construction detail and craftsmanship



### Deluxe Surface Mounted Cabinet With Attached Fluorescent Light

CONSTRUCTION FEATURES: Formed and welded steel body. Polished stainless steel frame; chrome plated door pulls; plastic mirror track for silent operation; stainless steel toothbrush holder; bulb edge glass shelves, adjustable and removable aluminum shelf supports; baked white enamel finish.

LIGHT FIXTURE: Includes F-25W — T12, CW, 28 inch fluorescent tube and plastic light shade, completely wired, Underwriters' Laboratories Label, stainless steel end caps, control switch on left end, convenience outlet for electric razor, dryer, etc. on right end.



C-5190 Plate Glass Mirrors

Slide Door Cabinet with Open Shelf: The "BIG QUALITY" value with features found in no other comparably priced cabinet.

- Plate Glass Mirrors.
- Clear plastic door pulls.
- Permanent stainless steel track.
- One-piece door frame.
- Modern rounded body face flanges.
- Welded-in metal shelves.
- Body welded steel construction.
- Baked enamel finish.
- Open shelf with artistic chrome plated supports.



BATHROOM







BEDROOM KIT

KITCHEN

CHEN UT

UTILITY ROOM

POWDER ROOM

#### C-6252

Welded steel construction; finish baked enamel; bulb edge glass shelves; adjustable aluminum shelf supports; chrome plated door pulls; stainless steel track.



#### C-6250 Window Glass Mirrors

Same as No. C-6252 except Window Glass mirrors with steel back and stainless steel slide frames. Black plastic knobs.



C-5180 Identical to No. C-5190 Except Without Open-Shelf Feature

C-5180 Plate Glass Mirrors

C-6252

Plate Glass Mirrors




#### No. C-720 Overhead Fluorescent Light Fixture

Designed for attachment to No. C-6250 or C-6252 Slide Door Cabinets shown above. Fixture includes 20 watt fluorescent tube. Completely wired, ready to attach to cabinet. Stainless steel end caps; plastic shades; control switch on right side; convenience outlet on left side. Underwriters' Laboratories Label.

SPECIFICATIONS					
No.	Mirror-Doors	Wide	Body Size High	Deep	Shelve
C-5180	(2) 10 x 14"	21½"	191/2"	4"	2
C-5190	(2) 10 x 14"	211/2"	24"	4"	2
C-6250	(2) 14 x 18"	29"	191/4"	5¾"	4
C-6252	(2) 14 x 18"	29"	191/4"	5¾"	4
C-6270	(2) 14 x 18"	281/2"	211/4"	51/8"	2
C-6272	(2) 14 x 18"	28½"	211/4"	51/8"	2

NOTE: Light Fixture attached to Cabinets C-6270 and C-6272 Extends 21/2" from Cabinet Face

### SPACIOUS SURFACE MOUNTED MEDICINE CABINETS with Lawson Quality Features



"Single" C-6240 Window Glass Mirrors

"Single" C-6242 Plate Glass Mirrors HAN-DE-DOR® "TWIN" and "SINGLE" CABINETS solve the storage problem - small items fit in door shelves for convenient, easy storage, practically doubling the storage space available in conventional cabinets of same size.

- Polished One-piece Stainless Steel Mirror Frames
   Bullet Type Door Catch
- Continuous Piano Type Hinge
   Baked White Enamel Finish

"Single" C-6240 and C-6242

- Two Bulb Edge Glass Shelves
- Four Recessed Door Shelves
- Stainless Steel Swing-Away Towel Bar

"Twin" C-6353

- 4 Welded-In Metal Shelves
- Eight Recessed Door Shelves

1	la				
1	1	ì		ı	
В			À	1107	
	H				

	_			-	
(	1	0	SF	10	4

SPECIFICATIONS					
Model No.	Mirror Size	Wide	High	Deep	Depth Incl. Door
C-6240 C-6242 C-6353	14 x 20" 14 x 20" (2) 14 x 20"	15½" 15½" 28½"	17½" 17½" 17½"	4½" 4½" 4¼"	6½" 6½" 6"









C-6235 C-6260 C-6280

### Deluxe SURFACE MOUNTED CABINETS

### with SWING-AWAY TOWEL BARS

CONSTRUCTION FEATURES: Made of heavy gauge steel. Strong welded construction. Modern rounded body face flanges provide extra storage space. One Piece Polished Stainless Steel Mirror Frame; Full Length Piano Hinge; 2-Bulb-Edge Glass Shelves; Bullet Type Door Catch; Swing away Stainless Steel Towel Bar, Bar Door Stop C-6280 only. Baked White Enamel Finish.

SPECIFICATIONS						
Model No.	Mirror-Door Size	Wide	High	Deep		
C-6235 C-6260 C-6280	14 x 20" Window Glass 14 x 20" Plate Glass 16 x 22" Plate Glass	15½" 15½" 17½"	17½" 17½" 19"	4½" 4½" 4½"		

### Economy SURFACE MOUNTED

CONSTRUCTION FEATURES: Formed and welded steel body, white enameled mirror frame; butt hinges; friction door catch; single strength mirrors; two metal shelves; baked white enamel finish.

No. C-6232 has Swing Away Towel Bar





### SPECIFICATIONS FOR MODELS C-5155, C-5159, C-6232

Model No.	Mirror Size	Wide	High	Deep
C-6232	12" x 183/4"	131/2"	161/8"	41/2"
C-5155	11" x 18"	10 1/8 "	161/2"	4"
C-5159	14" x 20"	131/8"	181/4"	4"



PAPER HOLDER No. 309 Wood Roller No. 310 Chrome Roller



GRAB BAR and SOAP DISH No. 3312 9-in.



TUMBLER and TOOTHBRUSH HOLDER No. 306

TUMBLER HOLDER No. 307 (without Toothbrush Slots)



No. 305 No. 305-D No. 314

SOAP DISH Non-Draining With Drain Holes With Plastic Insert Non-Draining





RECESSED SOAP DISH No. 356 Ridged Plastic Tray

RECESSED TUMBLER HOLDER No. 355 Plain Plastic Tray



No. 358 Wood Roller No. 359 Chrome Roller



RECESSED SOAP, TUMBLER and TOOTHBRUSH HOLDER No. 365 Ridged Plastic Tray



RECESSED SOAP DISH and GRAB BAR No. 357 Ridged Plastic Tray

### PILGRIM ACCESSORIES

#### Chromium Plated

#### Concealed Screws

Recessed Accessories drawn seamless brass — cast portions Zamac metal. Triple Plated with copper, nickel and chrome. Wall opening  $5\frac{1}{4}$  x  $5\frac{1}{4}$  inches. Recessed Accessories furnished in either S-type for fastening with wood screws, toggle bolts or Installation Clamp (see Page 21) . . . or L-type for grouting in. S-type furnished when not otherwise specified. Wood screws only furnished with S-type.

Projecting Accessories strong Zamac metal, triple plated with copper, nickel and brilliant chrome. Furnished with S, L or T Plate.



TOOTHBRUSH HOLDER No. 303






DOUBLE ROBE HOOK No. 315





SINGLE ROBE HOOK No. 308



TOWEL SUPPLY SHELF No. 368 8 x 18-in. No. 369 8 x 24-in.



GRAB BAR No. 312 9-in.

TOWEL BAR — ¾-in. square
318 18-in.
No. 324 24-in.
330 30-in.
No. 336 36-in. No. 318 18-in. No. 330 30-in.



GLASS SHELF - 5-in. wide No. 1118 18-in. No. 1 No. 1130 30-in. No. 1124 24-in.

### NO. 350 3-in-1 PILGRIM LAVATORY UNIT

For smart bathroom styling, Lawson offers this Concealed Lavatory Unit. Reflects the quality construction, style and lasting beauty of the complete line of Pilgrim Bathroom Accessories. Soap, Tumbler and Toothbrush Holders mounted on sparkling chrome panel revolving in a seamless housing . . . a flip of the finger opens or closes the unit. Fabricated from brass; chrome plated and polished to a mirror-like finish. Furnished in "S" Type (for fastening with screws) or "L" Type (for grouting in ); specify which is desired. "S" Type fixture furnished when not otherwise specified. Wall Opening: 61/2" wide; 8" high; 3½" deep.



No. 350 **OPEN** 



Opens or Closes at the Flip of a finger



CLOSED Soap, Toothbrushes and Tumbler Concealed





### GRAB BARS

Extra heavy duty construction makes them practical for hospital as well as home installations. Easy to install on new construction or existing walls. Made of extra heavy 1/8" round, seamless brass tubing, chrome plated.

NOS. 380, 381, 382 STRAIGHT GRAB BARS—can be mounted either horizontally, vertically or at 45° angle. No. 380 16" long. No. 381 24" long. No. 382 32" long.

NO. 383 ANGLE GRAB BAR — can be mounted for tub or shower stall safety in a variety of ways. Size 16" x 32". NO. 384 TRIANGULAR GRAB BAR — combines the utility of the horizontal grab bar with two angle bars. When mounted 34 inches from floor to bottom of grab, it offers a horizontal support for tub bathers and two angle grabs for the shower bather. Can also be used in shower stalls for maximum safety. Size 16 x 16 x 16". Furnished with  $1\frac{1}{2}$ " flat head chrome plated screws.








Glistening 71/2" bars pull out from both ends of otherwise conventional towel bar.

Permits more expansive display of towels — practical, too.

No. 3018 18" long No. 3024 24" long No. 3030 30" long

No. 3036 36" long



PILGRIM CHROME TOWEL CHAINS Nos. 3118, 3124, 3130, 3136

Entirely new and exciting way to display fine guest and family towels . . . enhances any bathroom with its sparkling, modern glamor.



PILGRIM COMBINATION STIRRUP AND TOWEL BAR No. 342-B Black Lucite No. 342-C Clear Lucite
Sparkling chrome; 5/16" square bar, 14" long.
Stirrup 61/4 x 5" high.



PILGRIM TOWEL STIRRUP No. 340-B Black Lucite No. 340-C Clear Lucite Glamorous addition to any bathroom. Stirrup 61/4 x 5" high.



PILGRIM CHROME TOWEL RING No. 343 Chrome Plated Stirrup Shaped Ring



TUMBLER AND TOOTHBRUSH HOLDER No. 906

> TUMBLER HOLDER No. 907 (without Toothbrush Slots)







SINGLE ROBE HOOK No. 908





ATTACHABLE TOWEL BAR No. 1600 1/2-in. sq. — 14-in.





PAPER HOLDER No. 909 Wood Roller No. 910 Chrome roller



RECESSED PAPER HOLDER No. 958 No. 959 Wood Roller Chrome Roller



RECESSED SOAP DISH and GRAB BAR
No. 957
Ridged Plastic Tray



RECESSED SOAP DISH No. 956 Ridged Plastic Tray



RECESSED TUMBLER HOLDER No. 955 Plain Plastic Tray



RECESSED SOAP, TUMBLER and TOOTHBRUSH HOLDER No. 965 Ridged Plastic Tray

### **PURITAN ACCESSORIES**

### Chromium Plated

### Concealed Screws

Recessed accessories drawn seamless brass — cast portions Zamac metal. Triple Plated with copper, nickel and chrome. Wall opening 51/4 x 51/4 inches.

Recessed Accessories furnished in either S-type for fastening with wood screws, toggle bolts or Installation Clamp or L-type for grouting in. S-type furnished when not otherwise specified. Wood screws only furnished with S-type.

Projecting Accessories strong Zamac metal, triple plated with copper, nickel and brilliant chrome. Furnished with S, L or T Plate.




GRAB BAR and SOAP DISH No. 9212



SOAP DISH No. 905 Non-draining No. 905-D With drain holes




GRAB BAR and SOAP DISH No. 9312 9-in.








TOOTHBRUSH HOLDER No. 903



No. 1018 18-in. No. 1030 30-in. No. 1024 24-in. No. 1036 36-in. No. 912 Grab Bar same as above; 9-in.



TOWEL BAR 5/8-in. Octagonal

No. 418 18-in. No. 424 24-in. No. 430 30-in. No. 436 36-in.

TOWEL BAR 5/8-in. Square
No. 4012 GRAB BAR 9-in.

No. 4018 18-in. No. 4030 30-in. No. 4036 36-in.

### CONCORD ACCESSORIES

● Concealed Screws ● Chrome Plated ● Easy to Install

Projecting Fixtures Strong Zamac Cast Metal; Recessed Fixtures Brass. All Triple Plated with Copper, nickel and chrome. Recessed Pieces: Wall opening  $4\frac{1}{4}$  x  $4\frac{1}{4}$ " except Paper Holder  $5\frac{1}{4}$ " wide x  $4\frac{1}{4}$ " high.

Recessed Accessories furnished in either S-type for fastening with wood screws, toggle bolts or Installation Clamp (see Page 21) . . . or L-type for grouting in. S-type furnished when not otherwise specified. Wood screws only furnished with S-type.



No. 456
RECESSED SOAP DISH
Ridged Plastic Tray

No. 455
RECESSED TUMBLER HOLDER
Plain Plastic Tray



No. 457 RECESSED SOAP DISH and GRAB BAR



RECESSED PAPER HOLDER
Wood Roller
No. 459
RECESSED PAPER HOLDER
Chrome Roller
No. 460
RECESSED PAPER HOLDER
Plastic Roller



PAPER HOLDER
No. 409 Wood Roller
No. 410 Chrome Roller



SOAP DISH
No. 405 Non-draining
No. 405-D With Drain Holes



TOOTHBRUSH and TUMBLER HOLDER No. 406



DOUBLE ROBE HOOK No. 415



SOAP DISH and GRAB BAR 9-in.
No. 411



No. 450 5-Pc. MATCHED SET in Self-Display Carton Includes:

No. 405 Soap Dish No. 406 Toothbrush and Tumbler Holder

No. 409 Paper Holder No. 418 Towel Bar No. 424 Towel Bar



TOWEL STIRRUP Clear Plastic No. 440



ATTACHABLE TOWEL BAR
1/2-in. sq. — 14-in.
No. 1600



No. 250 5-Pc. MATCHED SET in Self-Display Carton Includes:

Soap Dish No. 205 No. 206

Toothbrush and Tumbler Holder

No. 209 Paper Hol No. 218 Towel Bar No. 224 Towel Bar Paper Holder



PAPER HOLDER No. 209 No. 210 Wood Roller Chrome Roller



ATTACHABLE TOWEL BAR 1/2-in. sq. — 14-in. No. 1600



SOAP DISH No. 203 Clear Plastic with Chrome Bracket Non-draining

No. 205 All Chrome, No Drain Holes No. 205-D All Chrome, With Drain Holes



TOOTHBRUSH and TUMBLER HOLDER No. 204 Clear Plastic with Chrome Bracket No. 206 All Chrome









No. 256 RECESSED SOAP DISH Ridged Plastic Tray No. 255 RECESSED TUMBLER HOLDER Plain Plastic Tray



No. 257 RECESSED SOAP DISH and GRAB BAR Ridged Plastic Tray



RECESSED PAPER HOLDER No. 258 Wood Roller RECESSED PAPER HOLDER Chrome Roller



### CHAMPION ACCESSORIES

#### Chromium Plated

### Easy to Install

Projecting Fixtures strong Zamac metal, triple plated with copper, nickel and brilliant chrome. Chrome plated installation screws.

Recessed Accessories drawn seamless brass — cast portions Zamac metal. Triple Plated with copper, nickel and chrome. Wall opening.  $5\frac{1}{4}$ " wide x 41/4" high.

Recessed Accessories furnished in either S-type for fastening with wood screws, toggle bolts or Installation Clamp (see Page 21) or Litype for grouting in. S-type furnished when not otherwise specified. Wood screws only furnished with S-type.



9-in.



### "T" WALL PLATE

Saves Time! Saves Labor! No Cutting or Drilling of Tile! Available for Puritan Or Pilgrim Accessories at NO EXTRA COST

The "T" plate is the most efficient plate on the market. It not only affords one of the strongest and most secure anchors for bathroom accessories but it is the easiest to install and takes less time than any other type plate. TILE DOES NOT HAVE TO BE CUT OR DRILLED. Plate can be placed at any point horizontally which eliminates any need for cutting standard length towel bars to fit mortar joint.



Place at any horizontal position.


(Fig. I) May be necessary to nip or rasp off tile lugs if not placed between them.



Place upper tile in top side of "T" plate. (Fig. 2)

Figure 3 illustrates strong anchor provided by "T" plate.

If "T" plate required specify 905-T, 306-T, etc.



### PILGRIM "S" and "L" WALL PLATES FOR CHROME BATHROOM ACCESSORIES



The "S" and "L" type wall plates are made of a heavy gauge steel, zinc plated. These plates cannot break because of the tough non-brittle nature of steel.



The most important feature of this wall plate is the circular adjustment as shown in the illustration. In most cases when attaching wall plates the drill or screws can shift slightly resulting in a mounted wall plate that is not horizontal. This feature permits the installer to straighten the fixture to perfect alignment.



Fig. 2

The screw slots in the wall plate allow a lateral adjustment of 1/4" as shown.

This feature reduces the accuracy necessary in mounting the towel bar wall plates, and the brackets can be adjusted to a snug fit against the bars which eliminates rattling, etc.



The "L" type wall plate for cement use has a reverse tapered lug with holes that forms a wedge when cemented in the wall which cannot pull out. This wall plate also incorporates the important circular adjustment shown in Figure 3.

The wall plates available in the Pilgrim line of accessories provide more and better features to aid the installer than any other wall plates on the market today; the "S" type for screw attachment, the "L" type for cement installation and the "T" plate shown above for mastic or cement installation.

At left are some illustrations and descriptions of the "S" and "L" features that not only are time savers when installing chrome accessories but due to their adjusting features result in a better and more perfectly aligned installation.

Similar Time Saving Wall Plates Are Available For Puritan Chrome Bathroom Accessories

### INSTALLATION CLAMPS


Save Time and Labor when installing Lawson S-Type Recessed Fixtures.

Clamp made of heavy gauge steel zinc plated. Two brass chrome plated bolts furnished for use in walls with %" to 1%" thick facing. Wall opening should be not less than 3%" deep (normal 2 x 4 stud) or 1%" to nearest stud... except for paper holder; then it can occur next to stud as paper holder clamp installs in vertical rather than horizontal position.


Specify No. 39 Clamp for all Recessed Accessories except as noted below:

Specify No. 24 Clamp for Recess Accessories Nos. 255, 256, 257, 455, 456, 457.


Installation Clamp NOT available for No. 350.



 Insert screws thru Recess Fixture and into installation clamp until screw extends thru clamp approximately 1/8".



Center Recess Fixture in opening with back of face flange firmly pressed against room side of wall opening.



Insert Recess Fixture with clamp attached into opening.




4. Tighten screws until fixture is firmly held in place.

## MEDICINE CABINETS

WILL LAST LONGER BECAUSE....





CUT-AWAY CORNER SECTION OF LAWSON ONE-PIECE DRAWN SEAMLESS STEEL MEDICINE CABINET BODY

### THEY ARE BONDERIZED AFTER FORMING

The smooth, lustrous finish on Lawson Medicine Cabinets is highest quality baked enamel. It is attractive, pure white, easy to keep clean. And this fine finish will stay bright and fresh through years of service, because it is protected by Bonderite. At Lawson, this effective corrosion resistant process is applied to cabinets after forming. By Bonderizing after forming, every drill hole, every edge, every corner gets full protection against rust.

### **Explanation of Bonderite Finish**

Bonderizing actually changes the surface of the metal from steel to a nonmetallic surface. This coating actually penetrates the metal. It is a part of the metal, not a separate layer or skin. While bare metal surfaces provide almost no foot-hold for enamel, the Bonderite coating forms an anchor and keeps it from lifting or peeling.

The forces of rust and corrosion are defeated by Bonderizing because it is nonmetallic and prevents moisture from reaching the base metal. On untreated metal a scratch that breaks through the enamel film to the bare metal means real trouble, because rust creeps back from the scratch. Bonderite coating prevents this creeping of rust.

# G eneral N otes

The selection of a Medicine Cabinet should not be considered an incidental item. Consideration should be given to the frequency a Medicine Cabinet is used daily — not by one but by every member of the household.

If carefully selected, it will beautify the bathroom to a far greater degree than the difference in price between a small ordinary cabinet and a larger one. It will provide much needed storage space and, of particular interest to parents, provide a safe place for keeping aspirin, iodine, sleeping pills, etc. out of reach of small children.

A Medicine Cabinet should be selected with the idea that it should render lasting trouble-free service for the lifetime of the house. Lawson had this in mind when incorporating the following features in their cabinets.

ONE-PIECE DRAWN SEAMLESS STEEL BODY with rounded inside corners, for easy cleaning, no cracks or seams for moisture to accumulate and cause rust.

BONDERIZED AFTER FORMING to insure complete coverage of every square inch of surface, including edges. Bonderizing is not only a rust preventive but provides an excellent bond for anchoring the white enamel finish to the base steel.

All insert type hinge door cabinets furnished with full length piano hinge with brass pin, or on some models all stainless steel hinge. No sagging or squeaking of doors.

Lawson Insert-type Medicine Cabinets are provided with removable and adjustable non-corrosive shelf supports (except where noted) to provide greatest possible selectivity in shelf locations, and can be removed for easier and more thorough cleaning of cabinet.

Lawson Medicine Cabinet Mirrors are manufactured in accordance with National Bureau of Standards Specification CS27-36 and are guaranteed against silver spoil for a period of five years from date of manufacture, not one year as provided in specification referred to above.

Frameless Mirror Cabinets held in place by ratchettype mirror clips — no screws or bolts, and consequently, no holes in mirror.

Lighted Cabinets are wired complete at factory and carry Underwriters' Laboratories Label. Installation is simple. House wire connection located at knockout box in top center of cabinet. Wire connection accessible from cabinet interior by removing snapin electrical inspection plate, no screws to pinch insulation on cabinet wires.

Warranty: All materials unconditionally guaranteed against defective workmanship. No merchandise, however, should be returned without prior notification and authority from main office at Cincinnati.

Installation Instructions furnished with each cabinet. Location of cabinet above floor line is optional. Most common practice is 63" from floor to center of wall opening.

Distribution of Lawson Cabinet Division Products is through Hardware, Plumbing, Electrical, Tile and Building Supply outlets throughout the United States, Canada and many foreign countries.

Special Cabinets not shown in catalog quoted upon request if no special tools or dies are required, or if quantity is sufficient to absorb cost of special tooling. Submit quantity information and detailed description for quotation.

Architects are invited to write for detailed specification describing any Medicine Cabinet illustrated. The following is a typical specification describing our No. 4133 Cabinet:

"Furnish Medicine Cabinet with ONE-PIECE DRAWN SEAMLESS STEEL BODY, BON-DERIZED AFTER FORMING, for wall opening 14% x 18% x 3%". Mirror 16 x 22" plate glass, conforming to National Bureau of Standards Specification CS27-36, with polished stainless steel frame. Door supported by full length, white enamel piano hinge with brass pin. Furnish two (2) bulb edge glass shelves, supported by removable and adjustable aluminum shelf supports. Finish — baked white enamel."

### Digitized by



ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:

Mike Jackson, FAIA